



EGS Series 15 20 30K

Series: DSX0: Read More Read Less. ... INST SHT DSX EGS G1 LED RJ521406 REV B PSL11.pdf: ... The most popular, readily available and configurable products that ship in 15 days or less! Learn More. Shipping Programs Need More Stock Product Options? Learn More About Our Shipping Programs

EGO Series 15/20/30K EGO Series 15/20/30K Shenzhen Anygap New Energy Co., Ltd. Type de Système de Stockage: LFP (LiFePO4) Capacité Nominale: 625 - 1250 Ah : Région: Chine Contacter le Fabricant Remarque: Votre demande sera envoyée directement à Shenzhen Anygap New Energy Co., Ltd.. Produit Alternatif ...

EGS External glare shield21 DDBXD Dark bronze DBLXD Black DNAXD Natural aluminum ... 30K 3000 K 40K 4000 K 50K 5000 K AMBPC Amber phosphor converted2,3 ... 15°C 50°F 1.02 20°C 68°F 1.01 25°C 77°F 1.00 30°C 86°F 0.99 35°C 95°F 0.98 40°C 104°F 0.97

D-Series Size 1 LED Area Luminaire Catalog Number Notes Type ... 30K 3000 K 40K 4000 K 50K 5000 K T1S Type I short (Automotive) T2S Type II short ... DS Dual switching 18,19,20 PIR High/low, motion/ambient sensor, 8-15" mounting height, ambient sensor enabled at 5fc 20,21 PIRH High/low, motion/ambient sensor, 15-30" mounting height, ...

Series Performance Package Color Temperature Distribution Voltage Mounting RSX4 LED P1 P2 P3 P4 P5 P6 30K 3000K ... NLTAIR2 PIRHN nLight AIR generation 2,with Networked Bi-Level motion/ambient sensor 10, 14, 15, 16 BAA Buy America(n) Act and/or Build America Buy America Qualified ... Mast Arm Adaptor 0.66 1.28 1.20 1.69 1.87 2.51 1.32 1.98 2. ...

EGO Series 15/20/30K EGO Series 15/20/30K Shenzhen Anygap New Energy Co., Ltd. Type de Système de Stockage: LFP (LiFePO4) Capacité Nominale: 625 - 1250 Ah : Région: Chine Contacter le Fabricant Remarque: Votre demande sera envoyée directement à Shenzhen Anygap New Energy Co., Ltd.. Produit Alternatif ...

Lithonia D-Series Size 0 The modern styling of the D-Series is striking yet unobtrusive - making a bold, progressive statement even as it blends seamlessly with its environment. ... 30K, 40K, and 50K available in 70CRI and 80CRI. 27K and 35K only available with 80CRI. ... 20 Option HS not available with T3LG, T4LG, BLC3, BLC4, LCCO and RCCO ...

D-Series Size 0 Amber Series Legacy LED Area Luminaire Specifications Catalog Number Notes Type ... 8-15" mounting height, ambient sensor enabled at 5fc 14,15 PIRH High/low, motion/ambient sensor, ... bracket adaptor (specify finish) 20 KMA8 DDBXD U Mast arm mounting bracket adaptor (specify finish) 7

????? Shenzhen Anygap New Energy Co., Ltd. Type de Système de Stockage: LFP (LiFePO4) Capacité Nominale: 625 - 1250 Ah : Région: Chine Contacter le Fabricant Remarque: Votre demande sera envoyée directement à Shenzhen Anygap New Energy Co., Ltd.. Produit Alternatif ...



EGS Series 15 20 30K

??? ?? ??? ??? ? PDF ?????? ENF Solar

D-Series Size 1 LED Area Luminaire L H L H W W Ordering Information EXAMPLE: DSX1 LED P7 40K T3M MVOLT SPA DDBXD ... 8-15" mounting height, ambient sensor enabled at 5fc 5,15,16 PIRH Bi-level, motion/ambient sensor, 15-30" mounting height, ... 15°C 50°F 1.02 20°C 68°F 1.01 25°C 77°F 1.00 30°C 86°F 0.99 35°C 95°F 0.98

2fc. 11, 12, 20, 21 PIR High/low, motion/ambient sensor, 8-40" mounting height, ambient sensor enabled at 2fc 13, 20, 21 PER NEMA twist-lock receptacle only (controls ordered sepa-rate) 14 PER5 Five-pin receptacle only (controls ordered separate)14, 21 PER7 Seven-pin receptacle only (controls ordered separate) 14, 21 FAO Field adjustable ...

EGS Magnetic Series EM Magnetic Series EMS Magnetic Series ... 15/20/25W, Selectable CCT (30K/35K/40K/50K), Gray Increase Quantity of EnVision LED Lighting LED-VPT-2FT-3M25-4CCT 2 Ft. Linear LED Vapor Tight Fixture, 120-277V, 15/20/25W, Selectable CCT ...

EGS Magnetic Series EM Magnetic Series EMS Magnetic Series ... 15-20-30W, Selectable CCT (27K/30K/35K/40K/50K) \$51.52. Quick view Add to Cart The item has been added. EnVision LED Lighting. EnVision LED Lighting LED-CADM-3M30-5CCT-UNV Commercial LED Canless Downlight, 120-277V, 20/24/30W, Selectable CCT (27K/30K/35K/40K/50K) ...

Series LEDs Color temperature 2 Color Rendering Index 2 Distribution Voltage Mounting DSX1 LED ... P3 P8 P4 P9 P5 Rotated optics P10 1P12 P11 1 P13 1 (this section 70CRI only) 30K 3000K 40K 4000K 50K 5000K (this section 80CRI only, extended lead times apply) 27K 2700K 30K 3000K 35K 3500K 40K 4000K ... FAO Field adjustable output 15, 21 BL30 Bi ...

Shenzhen Anygap New Energy Co., Ltd. Series de Sistemas de Almacenamiento Solares EGO Series 15/20/30K. perfiles detallados incluyendo fotos y PDF de fabricantes ... EGS Series 15... Anygap EUR814 / kWh . PowHub BP3600... Mentech EGS Series 27... Anygap EUR441 / kWh . 10~30KWh Resi... Better Technolo... EGO Series 20...

LED Area Light Contractor Series Due to continuous product improvements, specification and/or equipment updates may change without notice. ... o ALCM-EGS External Glare Shield ... Mounting Height 15 20 25 30 35 Multiplier 2.8 1.6 1.0 0.7 0.5 ALCM 210 T3 G1 5K ALCM 210 T4 G1 5K ALCM 210 T5 G1 5K

EGS External glare shield 7 EGFV External glare full visor (360° around light ... Ordering Information EXAMPLE: RSX1 LED P4 40K R3 MVOLT SPA DDBXD RSX1 LED Series Performance Package Color Temperature Distribution Voltage Mounting RSX1 LED P1 P2 P3 P4 30K 3000K 40K 4000K 50K 5000K ... 15°C 59°F 1.02 20°C 68°F 1.01 25°C 77°F 1.00 30°C 86 ...

EGS External glare shield 7 EGFV External glare full visor (360° around light ... Ordering Information



EGS Series 15 20 30K

EXAMPLE: RSX3 LED P4 40K R3 MVOLT SPA DDBXD RSX3 LED Series Performance Package Color Temperature Distribution Voltage Mounting RSX3 LED P1 P2 P3 P4 30K 3000K 40K 4000K 50K 5000K ... 15°C 59°F 1.02 20°C 68°F 1.01 25°C 77°F 1.00 30°C 86 ...

Lithonia D-Series Size 1 The modern styling of the D-Series is striking yet unobtrusive - making a bold, progressive statement even as it blends seamlessly with its environment. ... Control Options 11,12,13,14,20,21: Field Adjustable Output 15,21: Dimming : Dual Switching ... 30K, 40K, and 50K available in 70CRI and 80CRI. 27K and 35K only ...

RSX2 LED P1 30K R2 EGS: Description: RSX Area Luminaire Size 2 P1 Lumen Package 3000K CCT Type R2 Distribution with EGS Shield: Series: RSX2 LED Area Luminaire: Lamp Output: Total luminaire Lumens: 9318.9, absolute photometry * Input Wattage: 72.0642: Luminous Opening: Rectangle (L: 15.96", W: 10.56") Max Cd: 5,509.4 at Horizontal: 5 ...

EGO Series 15/20/30K EGO Series 15/20/30K Shenzhen Anygap New Energy Co., Ltd. Typ von Speichersystem: LFP (LiFePO4) Nennkapazität: 625 - 1250 Ah : Region: China Hersteller Kontaktieren Hinweis: Ihre Anfrage wird direkt an Shenzhen Anygap New Energy Co., Ltd. gesendet. Beschreibung: ...

Web: <https://wodazyciarodzinnad.waw.pl>