



M38210-S Alpha ESS

28.6 -51.6kWh (M48112-S) 48.4-161.3 kWh (M38210-S) Easy to parallel to MWh A LARGE VARIETY of battery storage racks or container solutions to be different scenarios in C& I installations 10/20/40 ESS Container Max. 3225.6kWh in one container A truly turn key ESS solution 10feet: Max.361.3kWh (1C)/Max.645.1kWh (0.5C)

Italy: Alpha ESS Italy S.r.l. +39 (0) 599 239 50 info@alpha-ess Via Loda,17-41013 Castelfranco Emilia (MO) Physical Model Battery Type Battery Manufacturer ... M38210-S LFP (LiFePO4) 62 kg 332 x 570 x 223 mm IP20 3 Year Product Warranty, 10 Year Performance Warranty 8.1 kWh

View and Download Alpha ESS Storion-T50 installation manual online. Energy Storage System. Storion-T50 storage pdf manual download. Also for: Storion-t100. ... (Indoor, with M38210-S) Page 3: Imprint Website: Add.: Jiu Hua Road 888, High-Tech Industrial Development Zone, Nantong City, 226300, Jiangsu Province Australia Alpha ...

M38180-S M38210-S Item Rated Current Model Max. Current Rated Voltage Ultimate Breaking Capacity Auxiliary Power Supply BCMU Power Dissipation Dimensions (W×D×H) ... Alpha ESS Co., Ltd. +86 513 8060 6891 info@alpha-ess No. 1086 Bihua Road, Tongzhou District, Nantong City, Jiangsu Province, China

M38210-S Operating Temperature Range Battery Type Modules Connection Capacity BMU Model Power Consumption Monitoring Parameters Communication 332 x 570 x 223 mm ... Alpha ESS Italy S.r.l. +82 64 721 2004 korea@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea Alpha ESS Korea Co., Ltd

M38210-S Battery Type Modules Connection Capacity BMU Model Power Consumption Monitoring Parameters Communication 326 x 560 x 231 mm ... Italy: Alpha ESS Italy S.r.l. +82 64 721 2004 korea@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea Korea: Alpha ESS Korea Co., Ltd.

5~19 M38210-S in series in one cluster 105 A 200 ~ 900 V HV900105 (TOP BMU required with more than one cluster) 4~15 M48240-S in series in one cluster 120 A 200 ~ 900 V ... Italy: Alpha ESS Italy S.r.l. +82 64 721 2004 korea@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea Korea: Alpha ESS Korea Co., Ltd.

Italy: Alpha ESS Italy S.r.l. +82 64 721 2004 korea@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea Korea: Alpha ESS Korea Co., Ltd. ... 5~19 M38210-S in series in one cluster 105 A 200 ~ 900 V HV900105 (TOP BMU required with more than one cluster) 4~15 M48240-S in series in one cluster



M38210-S Alpha ESS

120 A 200 ~ 900 V

M38210-S Operating Temperature Range Battery Type Modules Connection Capacity BMU Model Power Consumption Monitoring Parameters Communication 326 x 560 x 222 mm ... Italy: Alpha ESS Italy S.r.l. +82 64 721 2004 korea@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea Korea: Alpha ESS Korea Co., Ltd.

The document describes an 8.1 kWh modular battery from Alpha ESS with the following key details: - It has a usable capacity of 7.3 kWh, nominal voltage of 38.4V, and can discharge up to 90%. - Each module is 332 x 570 x 223 mm and batteries can be connected in series of 6-20 for systems ranging from 48.6-162 kWh.

E-mail: europe@alpha-ess Website: Add.: Paul-Ehrlich-Str. 1a 63225 Langen China Alpha ESS Co., Ltd. Tel.: +86(0)51380686891 E-mail: info@alpha-ess ... M38210-S 1X Power Cable 420mm, Black-Red, BAT-BAT 1X Communication Cable 350mm, BAT-BAT 4XM6*16 4XM6 Gouding Serrated Washer HV900105 1X Communication Cable ...

Datasheet COMMERCIAL M38210-S. Download this document. Alpha ESS Storion-T50 T100 (Indoor, with M38210-S) Installation Manual V02. Download this document. Technical Specifications. Output: 50 / 100 kW: Max. Capacity: ... info@alpha-ess .nz; 1/19 Arrenway Drive Albany Auckland 0632 New Zealand;

Either the system can be equipped with M7790-S battery packs with 55.29 kWh or M38210-SC battery packs with 104.83 kWh total energy capacity, expandable to 209.6 kWh. ... Alpha ESS Europe GmbH, based in Langen, Hesse, demonstrated its latest product in the form of a container-based, liquid-cooled and pre-assembled ESS solution. ...

Alpha ESS Co., Ltd. Series de Sistemas de Almacenamiento Solares M38210-S. perfiles detallados incluyendo fotos y PDF de fabricantes ENF Solar. Idioma: ... M38210-S Alpha ESS Co., Ltd. Tecnología: un Sistema de Almacenamiento: LFP (LiFePO4) Capacidad Nominal: ...

Web.: Alpha ESS Co., Ltd. JiuHua Road 888, Nantong High-Tech Industrial Development Zone, Nan-tong City, 226300 ... M38210-S 34.2 42.2 94 12 M48240-S 45.6 56.3 96 12 M38180-S 34.2 42.2 144 18 Replace or Repair Subject to below, Alpha ESS will, at its sole option, repair or replace the Products or any part ...

7~12 M38210-S in series in one cluster Max. 20 clusters in parallel HV900105 (TOP BMU required with more than one cluster) Germany: Alpha ESS Europe GmbH ... Italy: Alpha ESS Italy S.r.l. +82 64 721 2004 korea@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea Korea: Alpha ESS Korea Co., Ltd.

europe@alpha-ess Paul-Ehrlich-Str. 1a, D-63225 Langen, Hessen ... M38210-S. Title: Datasheet_CN_CESS-210S_V02.20200810 Author: SolarInvert GmbH Subject: Die SolarInvert PPI Wechselrichter sind speziell für teilverschattete Dachflächen konzipiert mit Parallelschaltung.



M38210-S Alpha ESS

Battery Module M38210-S M48112-S. STORION T50/T100 Model PV Open Circuit Voltage MPPT Number
Battery Voltage Range Max. Charging/Discharging Current Max. Charging/Discharging Power ...
usa@alpha-ess Unit 5 2180 S Ivanhoe St, Denver, CO 80222 USA Alpha ESS International Pte. Ltd. +65
6513 1125 / +65 6513 1126

Alpha ESS Korea Co., Ltd. info@alpha-ess 2F, 19-4, Nohyeong 11-gil, Jeju-si, Jeju-do, Republic of Korea
Alpha ESS USA, Inc. +1 408 368 7828 usa@alpha-ess Unit 5 2180 S Ivanhoe St, Denver, CO 80222 USA
Alpha ESS International Pte. Ltd. +65 6513 1125 / +65 6513 1126 Singapore@alpha-ess 2 Corporation Road
#01-06A Corporation ...

M38210-S 62 kg 326 x 589 x 232 mm** 105 A 8.1 kWh 38.4 V \geq 6000 200 ~ 900 V 112 A 6-9 in series in
one cluster Max. 20 clusters in parallel ... Italy: Alpha ESS Italy S.r.l. +86 513 8060 6891 info@alpha-ess
Jiuhua Road 888, Nantong High-Tech Industrial Development Zone, Nantong City, 226300

M38210-S 3.2 V / 105Ah@2P12S 8.064 kWh 36 ~ 43.2 V CAN 450 x 580 x 165mm* 65 kg 112 A 6 ~ 9 ...
usa@alpha-ess Unit 5 2180 S Ivanhoe St, Denver, CO 80222 USA Alpha ESS International Pte. Ltd. +65
6513 1125 / +65 6513 1126 Singapore@alpha-ess 2 Corporation Road #01-06A Corporation

M38180-S M38210-S Item Rated Current Model Max. Current Rated Voltage Ultimate Breaking Capacity
Auxiliary Power Supply BCMU Power Dissipation Dimensions (W×D×H) ... Alpha ESS Italy
S.r.l. +39 339 462 4288 info@alphaess Via Del Molinuzzo 83, 59100 Prato (PO), Italy Battery Type Depth of
Discharge (DoD)

Web: <https://wodazyciarodzinnad.waw.pl>